Rat-

§4.115b

| | Rat- ing |
|--|-------------|
| Long-term drug therapy, 1–2 hospitalizations per year and/or requiring intermittent intensive management | 10 |

 $[59~{\rm FR}~2527,~{\rm Jan.}~18,~1994;~59~{\rm FR}~10676,~{\rm Mar.}~7,~1994]$

§4.115b Ratings of the genitourinary

| 8 | system—diagnoses. | |
|------|---|-------------|
| | | Rat- ing |
| | Note: When evaluating any claim involving loss or loss of use of one or more creative organs, refer to § 3.350 of this chapter to determine whether the veteran may be entitled to special monthly compensation. Footnotes in the schedule indicate conditions which potentially establish entitlement to special monthly compensation; however, there are other conditions in this section which under certain circumstances also establish entitlement to special monthly compensation. | |
| 7500 | Kidney, removal of one: Minimum evaluation Or rate as renal dysfunction if there is nephritis, infection, or pathology of the other. | 30 |
| 7501 | Kidney, abscess of: Rate as urinary tract infection | |
| 7502 | Nephritis, chronic: Rate as renal dysfunction. | |
| 7504 | Pyelonephritis, chronic: Rate as renal dysfunction or urinary tract infection, whichever is pre- dominant. | |
| 7505 | Kidney, tuberculosis of: Rate in accordance with §§ 4.88b or 4.89, whichever is appropriate. | |
| 7507 | Nephrosclerosis, arteriolar: Rate according to predominant symptoms as renal dysfunction, hypertension or heart disease. If rated under the cardiovascular schedule, however, the percentage rating which would otherwise be assigned | |

will be elevated to the next higher evaluation.

Rate as hydronephrosis, except for recurrent stone formation requiring one or more of the following:

3. invasive or non-invasive procedures more than two times/year

7508 Nephrolithiasis:

1. diet therapy 2. drug therapy

| | | ing |
|--------------|--|-----------|
| 7509 | Hydronephrosis: Severe; Rate as renal dysfunction. | |
| F | requent attacks of colic with infection (pyonephrosis), kidney function im- | |
| F | pairedrequent attacks of colic, requiring cath- | 30 |
| О | eter drainage Only an occasional attack of colic, not | 20 |
| 7510 | infected and not requiring catheter drainage | 10 |
| 7510 | Rate as hydronephrosis, except for recurrent stone formation requiring one or more of the following: 1. diet therapy | |
| 7511 | drug therapy invasive or non-invasive procedures more than two times/year Ureter, stricture of: | 30 |
| 7011 | Rate as hydronephrosis, except for recurrent stone formation requiring one or more of the following: 1. diet therapy | |
| | drug therapy invasive or non-invasive procedures more than two times/year | 30 |
| | Cystitis, chronic, includes interstitial I all etiologies, infectious and non-in-ious: | |
| 7515 inte | Rate as voiding dysfunction. Bladder, calculus in, with symptoms rfering with function: | |
| 7516 | Rate as voiding dysfunction Bladder, fistula of: Rate as voiding dysfunction or urinary tract infection, whichever is pre- dominant. | |
| 7517 | Postoperative, suprapubic cystotomy Bladder, injury of: Rate as voiding dysfunction. | 100 |
| 7518 | Urethra, stricture of: Rate as voiding dysfunction. | |
| 7519 | Urethra, fistual of: Rate as voiding dysfunction. | |
| 7520 | Multiple urethroperineal fistulae Penis, removal of half or more Or rate as voiding dysfunction. | 100 30 |
| 7521 | Penis removal of glans Or rate as voiding dysfunction. | 20 |
| 7522 pow | Penis, deformity, with loss of erectile ver—20 1. | |
| 7523 | Testis, atrophy complete:. Both—20 ¹ One—0 ¹ | |
| 7524 | Testis, removal:. | |

Department of Veterans Affairs

§4.115b

| | Rat- | | Rat- |
|--|------|---|-------|
| | ing | | ing |
| Both—30 ¹ | | Note—The 100 percent evaluation | |
| One—01 | | shall be assigned as of the date of | |
| Note: In cases of the removal of one | | hospital admission for transplant | |
| testis as the result of a service-in- | | surgery and shall continue with a | |
| curred injury or disease, other than | | mandatory VA examination one | |
| an undescended or congenitally un- | | year following hospital discharge. | |
| developed testis, with the absence | | Any change in evaluation based upon that or any subsequent exam- | |
| or nonfunctioning of the other testis | | ination shall be subject to the provi- | |
| unrelated to service, an evaluation | | sions of §3.105(e) of this chapter. | |
| of 30 percent will be assigned for | | 7532 Renal tubular disorders (such as | |
| the service-connected testicular | | renal glycosurias, aminoacidurias, renal | |
| loss. Testis, underscended, or con- | | tubular acidosis, Fanconi's syndrome, | |
| genitally undeveloped is not a rat- | | Bartter's syndrome, related disorders of | |
| able disability. | | Henle's loop and proximal or distal | |
| '525 Epididymo-orchitis, chronic only: | | nephron function, etc.): | |
| Rate as urinary tract infection. | | Minimum rating for symptomatic con- | |
| For tubercular infections: Rate in ac- | | dition | 2 |
| cordance with §§ 4.88b or 4.89, | | Or rate as renal dysfunction. | |
| whichever is appropriate. | | 7533 Cystic diseases of the kidneys (poly- | |
| 527 Prostate gland injuries, infections, hy- | | cystic disease, uremic medullary cystic | |
| pertrophy, postoperative residuals: | | disease, Medullary sponge kidney, and | |
| Rate as voiding dysfunction or urinary | | similar conditions): | |
| tract infection, whichever is pre- | | Rate as renal dysfunction. | |
| dominant. | | 7534 Atherosclerotic renal disease (renal | |
| 528 Malignant neoplasms of the genito- | | artery stenosis or atheroembolic renal dis- | |
| urinary system | 100 | ease): | |
| Note—Following the cessation of sur- | | Rate as renal dysfunction. | |
| gical, X-ray, antineoplastic chemo- | | 7535 Toxic nephropathy (antibotics, | |
| therapy or other therapeutic proce- | | radiocontrast agents, nonsteroidal anti-in- | |
| dure, the rating of 100 percent shall | | flammatory agents, heavy metals, and | |
| continue with a mandatory VA ex- | | similar agents): | |
| amination at the expiration of six | | Rate as renal dysfunction. | |
| months. Any change in evaluation based upon that or any subsequent | | 7536 Glomerulonephritis: | |
| examination shall be subject to the | | Rate as renal dysfunction. | |
| provisions of §3.105(e) of this | | 7537 Interstitial nephritis: | |
| chapter. If there has been no local | | Rate as renal dysfunction. | |
| reoccurrence or metastasis, rate on | | 7538 Papillary necrosis: | |
| residuals as voiding dysfunction or | | Rate as renal dysfunction. | |
| renal dysfunction, whichever is pre- | | 7539 Renal amyloid disease: | |
| dominant. | | Rate as renal dysfunction. | |
| 529 Benign neoplasms of the genito- urinary system: | | 7540 Disseminated intravascular coagulation with renal cortical necrosis: | |
| Rate as voiding dysfunction or renal | | Rate as renal dysfunction. | |
| dysfunction, whichever is predomi- | | 7541 Renal involvement in diabetes | |
| nant. | | mellitus, sickle cell anemia, systemic | |
| '530 Chronic renal disease requiring reg- | | lupus erythematosus, vasculitis, or other | |
| ular dialysis: | | systemic disease processes. | |
| Rate as renal dysfunction. | | Rate as renal dysfunction. | |
| 531 Kidney transplant: | | 7542 Neurogenic bladder: | |
| Following transplant surgery | 100 | Rate as voiding dysfunction. | |
| Thereafter: Rate on residuals as renal | | ¹ Review for entitlement to special monthl | v cor |
| duation minimum vation | 20 | noview for challent to special illulian | , |

¹ Review for entitlement to special monthly compensation under § 3.350 of this chapter.

 $[59~{\rm FR}~2527,~{\rm Jan.}~18,~1994;~59~{\rm FR}~14567,~{\rm Mar.}~29,\\1994,~{\rm as~amended~at}~59~{\rm FR}~46339,~{\rm Sept.}~8,~1994]$

30

dysfunction, minimum rating

§4.116

GYNECOLOGICAL CONDITIONS AND DISORDERS OF THE BREAST

§4.116 Schedule of ratings—gynecological conditions and disorders of the breast.

| | | Rating |
|-----------------|--|------------------|
| | Note 1: Natural menopause, primary amenorrhea, and pregnancy and child-birth are not disabilities for rating purposes. Chronic residuals of medical or | |
| | surgical complications of pregnancy may be disabilities for rating purposes. | |
| | Note 2: When evaluating any claim involv- ing loss or loss of use of one or more creative organs or anatomical loss of | |
| | one or both breasts, refer to §3.350 of this chapter to determine whether the veteran may be entitled to special monthly compensation. Footnotes in the | |
| | schedule indicate conditions which po- tentially establish entitlement to special monthly compensation; however, almost | |
| | any condition in this section might, under certain circumstances, establish entitlement to special monthly compensation. | |
| vulvo | Vulva, disease or injury of (including byaginitis). Vagina, disease or injury of. | |
| 7612 7613 | Cervix, disease or injury of. | |
| 7614 of (ir | Uterus, disease, injury, or adhesions of. Fallopian tube, disease, injury, or adhesions icluding pelvic inflammatory disease (PID)). Ovary, disease, injury, or adhesions of. | |
| Genera hesio | al Rating Formula for Disease, Injury, or Adons of Female Reproductive Organs (diagocodes 7610 through 7615): | |
| | Symptoms not controlled by continuous | 0.0 |
| | treatment Symptoms that require continuous treatment | 30 |
| 7617 | Symptoms that do not require continuous treatment | C |
| plete | Uterus and both ovaries, removal of, com- | |
| 7618 | For three months after removal Thereafter | ¹ 100 |
| 7010 | Uterus, removal of, including corpus: For three months after removal Thereafter | ¹ 100 ¹ 30 |
| 7619 | Ovary, removal of: For three months after removal Thereafter: | 1 100 |
| | Complete removal of both ovaries Removal of one with or without | 1 30 |
| 7620 7621 | partial removal of the other Ovaries, atrophy of both, complete Uterus, prolapse: | ¹ (0 |
| | Complete, through vagina and introitus | 50 30 |
| 7622 | Uterus, displacement of: With marked displacement and frequent or continuous menstrual disturbances With adhesions and irregular menstruation | 30 |
| 7623 | With adhesions and irregular menstruation Pregnancy, surgical complications of: With rectocele or cystocele | 10 50 |
| 7624 | With relaxation of perineumFistula, rectovaginal: | 10 |
| | Vaginal fecal leakage at least once a day requiring wearing of pad | 100 |
| | wearing of pad | 60 |

| Vaginal fecal leakage one to three times per week requiring wearing of pad Vaginal fecal leakage less than once a week | 3 1 10 6 4 2 2 18 15 16 14 |
|--|--|
| Vaginal fecal leakage less than once a week | 10 6 4 2 18 15 |
| Week Without leakage | 10 6 4 2 18 15 |
| Without leakage Fistula, urethrovaginal: Multiple urethrovaginal fistulae Requiring the use of an appliance or the wearing of absorbent materials which must be changed more than four times per day Requiring the wearing of absorbent materials which must be changed two to four times per day Requiring the wearing of absorbent materials which must be changed less than two times per day Breast, surgery of: Following radical mastectomy: Both One Following modified radical mastectomy: Both One Following simple mastectomy or wide local excision with significant alteration of size or form: Both One Following wide local excision without significant alteration of size or form: Both or one Note: For VA purposes: (1) Radical mastectomy means removal of the entire breast, un- | 10 6 4 2 18 15 |
| Multiple urethrovaginal fistulae Requiring the use of an appliance or the wearing of absorbent materials which must be changed more than four times per day Requiring the wearing of absorbent materials which must be changed two to four times per day Requiring the wearing of absorbent materials which must be changed less than two times per day Requiring the wearing of absorbent materials which must be changed less than two times per day Breast, surgery of: Following radical mastectomy: Both One Following modified radical mastectomy: Both One Following simple mastectomy or wide local excision with significant alteration of size or form: Both One Following wide local excision without significant alteration of size or form: Both or one Note: For VA purposes: (1) Radical mastectomy means removal of the entire breast, un- | 6 4 2 18 15 16 |
| Requiring the use of an appliance or the wearing of absorbent materials which must be changed more than four times per day | 6 4 2 18 15 16 |
| must be changed more than four times per day | 4 2 18 15 |
| must be changed more than four times per day | 4 2 18 15 |
| per day Requiring the wearing of absorbent materials which must be changed two to four times per day Requiring the wearing of absorbent materials which must be changed less than two times per day Breast, surgery of: Following radical mastectomy: Both One Following modified radical mastectomy: Both One Following simple mastectomy or wide local excision with significant alteration of size or form: Both One Following wide local excision without significant alteration of size or form: Both or one Note: For VA purposes: (1) Radical mastectomy means removal of the entire breast, un- | 4 2 18 15 |
| rials which must be changed two to four times per day | 18 15 16 |
| times per day Requiring the wearing of absorbent materials which must be changed less than two times per day Breast, surgery of: Following radical mastectomy: Both One Following modified radical mastectomy: Both One Following simple mastectomy or wide local excision with significant alteration of size or form: Both One Following wide local excision without significant alteration of size or form: Both or one Note: For VA purposes: (1) Radical mastectomy means removal of the entire breast, un- | 18 15 16 |
| Requiring the wearing of absorbent materials which must be changed less than two times per day | 18 15 16 |
| rials which must be changed less than two times per day | 18 15 |
| 7626 Breast, surgery of: Following radical mastectomy: Both One Following modified radical mastectomy: Both One Following simple mastectomy or wide local excision with significant alteration of size or form: Both One Following wide local excision without significant alteration of size or form: Both One Following wide local excision without significant alteration of size or form: Both or one Note: For VA purposes: (1) Fadical mastectomy means removal of the entire breast, un- | 18 15 |
| Following radical mastectomy: Both One Following modified radical mastectomy: Both One Following simple mastectomy or wide local excision with significant alteration of size or form: Both One Following wide local excision without significant alteration of size or form: Both or one Note: For VA purposes: (1) Radical mastectomy means removal of the entire breast, un- | 15 16 |
| Both | 15 16 |
| One Following modified radical mastectomy: Both One Following simple mastectomy or wide local excision with significant alteration of size or form: Both One Following wide local excision without significant alteration of size or form: Both or one Note: For VA purposes: (1) Radical mastectomy means removal of the entire breast, un- | 15 16 |
| Following modified radical mastectomy: Both One Following simple mastectomy or wide local excision with significant alteration of size or form: Both One Following wide local excision without significant alteration of size or form: Both or one Note: For VA purposes: (1) Radical mastectomy means removal of the entire breast, un- | 16 |
| Both One Following simple mastectomy or wide local excision with significant alteration of size or form: Both Following wide local excision without significant alteration of size or form: Both or one Note: For VA purposes: (1) Radical mastectomy means removal of the entire breast, un- | |
| One Following simple mastectomy or wide local excision with significant alteration of size or form: Both | ¹ 4 |
| excision with significant alteration of size or form: Both | |
| or form: Both | |
| Both One Following wide local excision without significant alteration of size or form: Both or one Note: For VA purposes: (1) Radical mastectomy means removal of the entire breast, un- | |
| One Following wide local excision without significant alteration of size or form: Both or one | 15 |
| Following wide local excision without significant alteration of size or form: Both or one Note: For VA purposes: (1) Radical mastectomy means removal of the entire breast, un- | 13 |
| Both or one Note: For VA purposes: (1) Radical mastectomy means removal of the entire breast, un- | |
| Note: For VA purposes: (1) Radical mastectomy means removal of the entire breast, un- | |
| (1) Radical mastectomy means removal of the entire breast, un- | |
| removal of the entire breast, un- | |
| | |
| derlying pectoral muscles, and regional lymph nodes up to the | |
| regional lymph nodes up to the | |
| coracoclavicular ligament (2) Modified radical mastectomy | |
| means removal of the entire | |
| breast and axillary lymph nodes | |
| (in continuity with the breast). | |
| Pectoral muscles are left intact | |
| (3) Simple (or total) mastectomy means removal of all of the | |
| breast tissue, nipple, and a | |
| small portion of the overlying | |
| skin, but lymph nodes and mus- cles are left intact | |
| (4) Wide local excision (including | |
| partial mastectomy, | |
| lumpectomy, tylectomy, | |
| segmentectomy, and quadrantectomy) means re- | |
| moval of a portion of the breast | |
| tissue | |
| 7627 Malignant neoplasms of gynecological sys- | ١ ,, |
| tem or breast | 10 |
| | |